

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6783	709/203.ccls.	US-PGPUB; USPAT; EPO	OR	ON	2006/08/17 16:41
L2	102	I1 and (access with central with storage) with (read or write)	US-PGPUB; USPAT; EPO	OR	ON	2006/08/17 16:44
L3	0	I2 and diskless	US-PGPUB; USPAT; EPO	OR	ON	2006/08/17 16:43
L4	5	I2 and (thin adj2 client)	US-PGPUB; USPAT; EPO	OR	ON	2006/08/17 16:43
L5	18	709/250.ccls. and (access with central with storage) with (read or write)	US-PGPUB; USPAT; EPO	OR	ON	2006/08/17 16:44
L6	0	I5 and (thin or diskless) near2 (client\$1 or device or computer)	US-PGPUB; USPAT; EPO	OR	ON	2006/08/17 16:44
L7	350	I1 and (thin or diskless) near2 (client\$1 or device or computer)	US-PGPUB; USPAT; EPO	OR	ON	2006/08/17 16:44
L8	7	I7 and central near2 storage	US-PGPUB; USPAT; EPO	OR	ON	2006/08/17 16:45
S1	1317	709/250.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 16:48
S2	55	S1 and plural\$3 adj2 client\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 16:49
S3	3	S1 and diskless adj (client\$1 or computer\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 16:49

EAST Search History

S4	22	S1 and diskless	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 17:10
S5	20	diskless adj (client\$1 or computer\$1) and interface adj card	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 17:30
S6	9	diskless adj (client\$1 or computer\$1) and IDE and PCI	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 18:06
S7	2	"6421711".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 17:32
S8	1	diskless adj (client\$1 or computer\$1) with (expansion adj slot)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 18:07
S9	1	diskless adj (client\$1 or computer\$1) with slot	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 18:08
S10	0	diskless adj (client\$1 or computer\$1) with ((PCI with IDE)with slot)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 18:09
S11	0	diskless adj (client\$1 or computer\$1) with (PCI with IDE)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 18:10

EAST Search History

S12	0	diskless adj (client\$1 or computer\$1) with (PCI or IDE)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 18:10
S13	0	(diskless adj (client\$1 or computer\$1)) with (PCI or IDE)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 18:10
S14	114	(diskless adj (client\$1 or computer\$1))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 18:10
S15	8	S14 and expansion adj slot	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 18:11
S16	29	(interface adj card) with (receive adj2 command)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 13:03
S17	0	(receive adj2 ((read or write) adj2 command)) with pack\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 13:06
S18	0	((pack\$2 or prepare\$1) adj2 message) with identifier and diskless	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 13:14
S19	152	((pack\$2 or prepare\$1) adj2 message) with identifier	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 13:14

EAST Search History

S20	24034	S19 and read or write with request\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 13:14
S21	19	S19 and (read or write) with request\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 13:19
S22	90	(pack and unpack) with packet\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 13:27
S23	153	receive adj opcode	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 13:27
S24	0	S23 and (prepare or pack) adj2 packet\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 13:28
S25	50	S23 and command	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 13:33
S26	2	logical adj circuit\$1 with pack\$3 adj2 command	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 13:34
S27	8950	pack\$3 adj2 (command\$1 or message\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 13:35

EAST Search History

S28	342334	S27 and receive\$1 adj2 command or message	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 13:35
S29	4974	S27 and receive\$1 adj2 (command or message)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 13:35
S30	14	S29 and logical adj circuit\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 14:16
S31	2	"6421711".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 14:16
S32	1357159	diskless adj client\$1 or computer\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:44
S33	114	diskless adj (client\$1 or computer\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:44
S34	531	pack\$3 near3 (read or write) near3 command\$1 near3 (packet or package)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:09
S35	0	S34 and diskless near2 (client or computer or host)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 17:16

EAST Search History

S36	0	S34 and hard near2 disk near2 access near2 command	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 17:17
S37	11	S34 and disk near2 access near2 (command or request)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:07
S38	399	S34 and packet with address	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:08
S39	3	S38 and 709/217.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:08
S40	536	(pack\$3 or prepare or generat\$3) near3 (read or write) near3 command\$1 near3 (packet or package)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:10
S41	3	S40 and 709/217.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 18:10
S42	68	(prepare or generat\$3) near3 (read or write) near3 command\$1 near3 (packet or package)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 11:15
S43	2	("6421711").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:15

EAST Search History

S44	8119	709/250,203,216.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:40
S45	0	S44 and (receiv\$2 near3 (read or write) near3 (command\$1 or signal\$1) near3 (user\$1 or client\$1) near3 (pack\$3 or transform\$3 or generat\$3) near3 packet)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:42
S46	10	S44 and (receiv\$2 near3 (read or write) near3 (command\$1 or signal\$1) near3 (user\$1 or client\$1))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:44
S47	1	S44 and (IDE with PCI with transform)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:48
S48	1	(IDE with PCI with transform)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:48
S49	33	S44 and (IDE with PCI)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:48
S50	0	((transform\$3 or chang\$3 or convert\$3) near4 (IDE or (integrated adj device adj electronic\$1)) near4 (signal\$1 or command\$1 or request\$1) near4 (peripheral adj component adj interconnect))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:39
S51	2	((transform\$3 or chang\$3 or convert\$3) with (IDE or (integrated adj device adj electronic\$1)) with (signal\$1 or command\$1 or request\$1) with (peripheral adj component adj interconnect))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 16:40

EAST Search History

S52	3	((transform\$3 or chang\$3 or convert\$3) with (IDE or (integrated adj device adj electronic\$1)) with (peripheral adj component adj interconnect))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 17:26
S53	2	("6587866").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/04/05 17:26
S54	77	(RAID or IDE) near2 controller near2 network	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 14:33
S55	1	(transform\$3 or convert\$3) with format with (PCI near2 bus) with (IDE near2 bus)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 14:35
S56	1	(transform\$3 or convert\$3) with (format or signal\$1 or packet\$1) with (PCI near2 bus) with (IDE near2 bus)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 14:36
S57	8	(transform\$3 or convert\$3 or format\$3) near4 (IDE) near4 (format\$1 or signal\$1 or data or command\$1 or request\$1) near4 PCI	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/04/07 11:57